

OCEANIS 40.1

E-BOOK



BENETEAU
AVANT-GARDE IN BOATING

Key Points

GENERAL SPECIFICATIONS

• L.O.A	12,87 m / 42'3"
• Hull length	11,99 m / 39'4"
• L.W.L.	11,70 m / 38'5"
• Beam	4,18 m / 13'9"
• Standard draft (Cast iron)	2,17 m / 7'1"
• Deep ballast weight	2 007 kg / 4,423 lbs
• Shallow draft (Cast iron)	1,68 m / 5'6"
• Shallow ballast weight	2 237 kg / 4,930 lbs
• Performance draft (Cast iron)	2,27 m / 7'5"
• Ballast weight performance	2 004 kg / 4,417 lbs
• Air draft	18,33 m / 60'2"
• Air draft (Performance mast)	18,78 m / 61'7"
• Light displacement	7 985 kg / 17,600 lbs
• Fuel capacity (standard)	195 L / 52 US Gal
• Fresh water capacity (standard)	235 L / 62 US Gal
• Fresh water capacity (Option)	330 L / 87 US Gal
• Engine power :	
- Shaft Line	45 CV CR / 45 HP CR

EC CERTIFICATION

• Category A	10 personnes
• Category B	10 personnes
• Category C	10/12 personnes

NAVAL ARCHITECT / DESIGNERS

• Naval Architect:	Marc Lombard
• Interior Design:	Nauta Design

SAILS DIMENSIONS

• Furling mainsail (standard)	34,70 m ² / 373 sq/ft
• Self-tacking jib (standard)	26,90 m ² / 290 sq/ft
• Classic mainsail	41,80 m ² / 450 sq/ft
• Furling genoa (105 %)	34,40 m ² / 370 sq/ft
• Code 0	61,10 m ² / 658 sq/ft
• I	15,13 m / 49'8"
• J	4,77 m / 15'8"
• P furling mast	14,69 m / 48'2"
• P Classic mast	14,83 m / 48'8"
• E	5,08 m / 16'8"

PERFORMANCE (Extended classic mast + 0,45 m / 1'6")

• Classic mainsail	43,20 m ² / 465 sq/ft
• Genoa	36,50 m ² / 392 sq/ft
• I	15,65 m / 51'4"
• J	4,78 m / 15'8"
• P	15,40 m / 50'6"
• E	5,00 m / 16'5"



Following in the wake of the new cruiser generation

Smart

New generation hull: the stepped hull increases the habitable volume

Easy

A standard designed to be as simple as possible: in-mast furling system, self-tacking jib, 2 winches on the roof.

Cruising made simple

Comfort large cockpit worthy of a 45' sailing yacht, spacious interior volumes, large berths, natural light and sea view

First Line version, performance mast, deck gear upgrade: to make the most of the hull's potential


A choice of 3 keels to adapt to the sailing grounds or to increase sail stiffness




Oceanis know-how: comfort, space and high-performance hull



Oceanis know-how: comfort, space and high-performance hull:





Oceanis know-how: comfort, space and high-performance hull:

3 large cockpit tables offered
Allow the BIB to be stored in the central part: frees one cockpit locker for bigger storage capacity

Opening portholes for aft cabins . (standard)

H46.2STA manual genoa winches
Rigging Pack.
Electric winches as option

L-shaped cockpit seating: to provide good support when heeled or for use as a lounge
Outside upholstery available as option.

Aft fairleads Option

Slatted Iro-Deck cockpit as option

Long intermediate step for easy movement between cockpit and platform

Large Iro-Deck slatted bathing platform with an integrated fixed telescopic ladder
Electric opening in Escape Pack

Large locker integrated in cockpit sole: 1 part for technical access, one part to store gas bottles

2,65 m x 0,80 m / 8'8" x 2'7"



Pack Coastal: 1 console to starboard

Engine control.
Easy access



Bow thruster control
(Escape Pack)

Iro-Deck slatted aft lifting
helm seats (standard)

Outboard engine bracket
Option



Genoa winch + clutches
(**Rigging Pack**)

Coastal Pack: display to port


Silver halyard bags
(standard)

Opening portholes in aft cabins.
(standard)

Genoa winch
(**Rigging pack**)

'Luxe' cockpit table -wood/polyester
in Escape Pack. Refrigeration unit
available as **option**.

Large locker



2 Self tailing coachroof winches (H40.2 STA). Standard

3 choices for cockpit tables

Standard cockpit table:





Luxe wood/polyester cockpit table: solid wood on the top. In Escape Pack
Delivered with Silver cover.





BE T49 option: adds Grp flaps on the Luxe cockpit table instead of wooden flaps. Easy maintenance.
Requires Escape Pack



12V Refrigerator unit available as option for both Luxe tables







Performance: the First Line Pack

High-end fittings, extended mast, increased sail area.

A configuration to sublimate the great potential of the hull

- Polyester bowsprit with integrated anchoring gear and bobstay (for Code 0 and asymmetric spinnaker)
- Performance Classical aluminium mast, tapered, (Z Diffusion), 2 Aft swept spreaders (+ 0,45m / 1'6")
- Cascading backstay
- Cathedral type Dyform standing rigging
- Flatdeck genoa furler
- Additional jammers: 1 triple jammer on coaming to port and starboard for mainsail sheet, genoa sheet, adjustment of genoa sheet traveller (hauling line) + 1 single jammer on roof for spinnaker halyard/code 0
- Performance running rigging, Dyneema (Mainsail, Genoa, Code 0, Asymmetric spinnaker, Halyards)
- German system (Two-way mainsheet at the helm station)
- Harken pulleys upgrade (in lieu of standard) - 12 E60 blocks + 4 E80 blocks
- Genoa sheet tracks on side decks + Genoa sheets
- 2 Genoa sheet manual winches (H46.2 STA)
- Black composite steering wheels
- Performance hull decoration

! Boat delivered without sails.
Performance sails as option



An interior that is a joy to live in

Spaces

- A voluminous living space thanks to the stepped hull and the location of the galley towards the bow
- Very balanced height to deck beam
- A fore cabin worthy of a 45' sailing yacht

Comfort

- A long worktop with a good amount of storage space: a galley designed to make life on board easier and cooking meals a pleasure
- Large berths
- Long U-shaped sofa, central seat section removable: excellent seating capacity around the table

Harmony

- Once again, Nauta Design has designed a beautiful boat with lots of natural light, a choice of interior atmospheres and carefully studied ergonomics, making her a joy to live aboard



Layouts to match all types of uses


Portside workshop as standard. Good amount of storage space with shelves along the hull

Very large sail locker that can be accessed from the cockpit bench

Chart table at the bottom of the companionway.
Drop down table top

Large U-shaped bench
Large fixed table

Very spacious fore cabin, large double bed (2.03 x 1.60 m - 1.31 m / 6'8" x 5'3" - 4'4") with comfortable access to either side of the bed
2 large storage spaces: hanging locker and shelves
Open overhead shelves along the hull
Good view of the sea from the bed



Big bed (2.04 m x 1.37 x 1.21 m / 6'8" x 4'6" x 4'),
Hanging locker
Ensuite shower room

Shower room with a spacious shower with a plexiglass door for easier use
Manual toilet with rigid 80 L / 21 US Gal tank

Very large C-shaped galley, long worktop, good refrigeration capacity, 190 L icebox with a 10 L freezer. Stainless steel sink with 2 bowls Overhead shelves and 2 base cabinets for storage.

Washbasin cabinet against the saloon bulkhead on **option**

Layouts to match all types of uses

Thanks to the hull's large interior volume two highly optimized versions are available for the requirements of the Charter market.
The 2 variants of the bow section do not affect the saloon or galley spaces.



3C2T

3C2T: a good layout for Yacht Management programmes
The owner has a spacious fore cabin with an ensuite shower room


Central queen size bed
Portside storage with hanging locker and shelves
Large ensuite shower room with shower compartment well protected by a plexiglas door



4C2T

4C2T: ideal for charter use.
The interior volume allows a layout with 2 symmetrical cabins at the bow, each with a wardrobe.

The chart table leaves room for a 2nd port aft bathroom





Base cabinet with a large storage capacity

Chalk padded lining in the saloon as standard

Sand oak alpi atmosphere +
Laminated Nordic teak floors

2 covered handrails, gentle slope



Coaming glazing with
pleated blinds as standard

Deck hatches with blind/mosquito net as standard

Ready to mount TV
spot. **Option**

Chart table at the bottom of the companionway. Storage under
the table top. Opening porthole above
Library on the top

Long hull portholes. Pleated
blinds on **option**

Central removable seat.
Standard in 3 cabin versions. Available as
option for the 2 cabin version

Fixed table. Large table top 1.20 x 0.80 m / 3'11" x 2'7"
Double berth **option** possible in the saloon (short table legs +
mattress)



As standard: Navicolor screen, displaying battery charge
/ Electric panel 12V / 230 V socket & USB socket /
Library
Audio player Fusion(Escape Pack)



Open
storage

Seat you can lie back on for long
comfortable watches. Includes a large
storage locker

Spacious U-shaped seat. A saloon bathed in natural light with a good view of
the sea.



II T16M option: upgrade for saloon table
(storage on the top, solid alpi around the top)



Sand oak alpi:
standard

Chalk padding
upholstery in
saloon. Standard

Noah 05
upholstery:
standard

Nordic Teak floors: standard



Storage locker in the saloon



Large storage capacity:

1 front door and storage with access from the top at the back of the cabinet



Coaming glazing with pleated blinds as standard



Focus on the 4 cabins layout

4 main changes to have in mind compared to the other layouts



- 1** Port aft head compartment (shorten storage in the aft cabin and takes the place of the chart table)
- 2** Longer sofa than on the other layouts
- 3** Multi-use low unit: large storage with shelves + welcome equipment of the chart table such as 12V panel, Fusion, VHF...)
- 4** Large forward cabins with double berth: thanks to the hull shape similar size to the one in the Oceanis 46.1. Storages are everywhere: wooden closet with shelves, storage under bed, deep storage at bed head

4 cabins layout

Nota Bene: this walnut alpi is no longer available in the price list



Access to forward cabins



Symmetrical forward cabins with double berth and plenty of storage space

Large storage at bed head

Large closet with shelves



Large locker under bed



2026 Model year changes

2026 Model year changes

New Ambiance	40.1
New interior upholstery	■
New hull padding	■
New exterior upholstery	■
New exterior protections	■
Removal of standard walnut alpi	■
Sand oak alpi as standard with Nordic Teak floors	■



2026 Model year changes

New Enhanced Standard	40.1
• Iro-Deck slatted helm seats (comes from Comfort trim level)	■
• 1 halyard bag (comes from Comfort trim level)	■
• Blinds / mosquito nets / (comes from Comfort trim level)	■
• Galley: Laminate cover on sink (comes from Comfort trim level)	■
• Galley: Front opening for icebox (comes from Comfort trim level)	■
• Full 12/230 V (or 115V) system + shore power socket (comes from Comfort trim level)	■
• USB socket(s) with dual port (comes from Comfort trim level)	■
• Additional AGM batteries (comes from Comfort trim level)	■
• Battery charger (comes from Comfort trim level)	■
• Battery charge display, Navicolor screen (3.5") (comes from Comfort trim level)	■
• Saloon: LED indirect lighting (comes from Comfort trim level)	■
• Additional porthole in the aft cabins (no more offered as separate option)	■
• Electric windlass - Remote control (comes from Comfort trim level)	■
• Hot/cold water cockpit shower (comes from Comfort trim level)	■
• LED courtesy light in cockpit (comes from Comfort trim level)	■

2026 Model year changes

New pack: Escape Pack	40.1
Retractable bow thruster (no more a separate option)	■
Electric opening for the aft platform (no more a separate option)	■
Luxe Polyester/wood cockpit table (without cover) (no more a separate option)	■
Side access openings to port and starboard (no more a separate option)	■
Hifi: Player Fusion + Interior loudspeakers & Waterproof exterior speakers (comes from Comfort trim level)	■
New Pack: Charter Pack (<i>not compatible with Escape Pack</i>)	40.1
Luxe Polyester/wood cockpit table - without cover	■
Aft platform protection	■
Stainless steel bow protection	■
Outboard engine bracket	■
Double berth in saloon	■
Extra fresh water tank (330 L / 87 US Gal)	■
Fans in saloon and cabins	■
Hifi: Fusion Player + Interior loudspeakers & Waterproof exterior speakers	■

Nota Bene: Pack Charter Pack removes standard IBS sensor. Compatible with optional padding except with the 4 cabins layout

The background is a solid blue color. In the top-left corner, there are several overlapping, curved, light-blue shapes that resemble stylized waves or abstract organic forms. In the bottom-right corner, there is a single, larger, light-blue curved shape that also appears to be part of the same abstract design.

Ambiance

INTERIOR UPHOLSTERY

40.1		
Interior upholstery / Sellerie intérieure	Noah 05	✓
	Noah 26	✓
	Noah 33	✓
	PVC Marlin Brilliant White	✓
Handrails covered	Ivory	✓


PADDING UPHOLSTERY / CAPITONNAGE

40.1		
Padding / Capitonnages	Chalk	✓
	Glacier	✓
	Rock	✓

✓ = standard ✓ = option



Standard Noah 05



Noah 33




Noah 26




PVC Marlin Brilliant White



Standard padding:
Chalk




Glacier




Rock

Recommended Ambiance


IVORY (standard)
Noah 05 + Chalk



SUNSET
Noah 26 + Rock



PACIFIC
Noah 33 + Glacier




OUTDOOR

Upholstery / Sellerie

40.1

Exterior upholstery / Sellerie extérieure	Cockpit seats / Assises cockpit	Savane Nimbus	✓
---	------------------------------------	---------------	---

Savane Nimbus




Covers and Protections / Housses et Protections

40.1

Outside protections / Protections extérieures	Spayhood / Capote	Silver	✓
	Bimini		✓
Covers / Housses	Cockpit table / Table de cockpit		✓
	Steering wheels / Barres à roue		✓
Lazy Bag	Included in Classic Mast Pack		✓

Silver



Offered layouts



2C 1H+ workshop



3C 1H



3C1H + optional washbasin
furniture in forward cabin.



3C 2H



4C 2H

Exterior dimensions

Exterior dimensions

Aft platform:
2,65 m x 0,80 m / 8'8" x 2'7"


Aft helmsman seat:
0,50 m x 0,24 m / 1'8" x 9"

Standard cockpit table:



Folded dimension = 1,20 m x 0,57 m / 3'11" x 1'10"

Wooden leafs = 1,15 m x 0,46 m / 3'9" x 1'6"

Opened width = 1,50 m / 4'11"



Gas locker
(0,39 m x 0,39 m / 1'3" x 1'3" - Height: 0,51 m / 1'8")



Luxe table

Folded dimension =

1,30 m x 0,50 m / 4'3" x 1'8"

Wooden leafs =


1,10 m x 0,40 m / 3'7" x 1'4"

Opened width =


1,35 m / 4'5"

Interior dimensions & headrooms


Interior dimensions




Interior dimensions: head compartments




4C2H Interior dimensions



Headrooms



Electricity location




● Overhead
lights
● Spotlights

▲ 230V socket (Trim level)
■ USB socket (standard)
■ USB socket (Trim level)


— LED strip (Standard)
- - - LED strip (Trim level)

Technical equipments location



- | | | |
|---|---|---------------------------------|
| 1 Fuel tank 195 L / 52 US Gal - standard | A Electrical panel | H 12V Electrical panel |
| 2 Fresh water tank 195 L / 52 US Gal - standard | B 2 000 VA 12 V – 230 V Inverter- option | I Bow thruster option |
| 3 Fresh water tank 330 L / 87 US Gal - option | C 2 service batteries - AGM (100 Ah), Trim level | J Sensor option |
| 4 Holding tank – 80 L / 21 US Gal - standard | D 2 additional 100 Ah service batteries Trim level | |
| 5 Water heater 40 L / 11 US Gal- standard | E 1 battery charger (60 Ah) - Trim level | |
| 6 Plumbing board (accumulator tank- water units.....) | F 1 AGM engine battery (100 Ah) -- Trim level | |
| 7 Bilge pump | G 6,4 KVA Generator- option | H 5 500W Boiler - option |

Heating system




E Boiler - 5 500W - option

 Hot air outlet

 Thermostat

! Heating not compatible with air conditioning

Air conditioning



1

Air conditioning unit 8 000 BTU

2

Air conditioning unit 16 000 BTU



Air conditioning outlet



Thermostat

! Air conditioning not compatible with heating